

ACUTE CARE DONNING PPE

SCREENING/TRIAGE: FIRST POINT OF CONTACT WITHOUT A STRUCTURAL BARRIER

Before you begin, tie back long hair and secure in place, remove personal items such as hand and wrist jewelry, gather and inspect PPE carefully. It is important to select the correct size of PPE and ensure that it is in good sanitary and working condition. Damaged or defective PPE should not be used.



1
Perform
Hand Hygiene



2
Put on Gown



3
Put on
N95 Respirator and
Perform Seal Check



4
Put on Full
Face Shield



5
Put on Gloves

N95 Respirator

Fit-tested and seal checked

Face Shield


Single-use (disposable) full face shield and must provide coverage of entire front and sides of face

Gown

Single-use (disposable)
fluid-resistant gown

Gloves

Gloves with extended cuffs.
Ensure gloves cover cuffs of
gown and that no skin is
exposed



You must have received PPE training and successfully completed donning and doffing practical testing before screening patients. Keep gloved hands away from face at all times. Avoid touching PPE once care has begun. Replace damaged gloves immediately and perform hand hygiene. Whenever screening/triage is conducted in the absence of a suitable structural barrier, PPE must be worn at all times. If direct care is required for a patient who screens positive, immediately don PPE for suspected/confirmed patient.